



Print

GROSSISTEN



Eco-Solvent

1.6m Printer

ALHC-1600ECO

1.6/1.8m eco-solvent printer



Advantage:

- ◆ Leadshine double servo motor to ensure running smoothly in X, Y direction;
- ◆ Auto cleaning system, intelligent drying, emergency stop and lack of materials / ink alarm, unmanned watching auto-control;
- ◆ Manual and automatic intelligent dryer: double hot air, double row infrared tubes and cooling fans. Dry the printed materials immediately;
- ◆ Anti-crash sensors at carriage both sides, and bumper block; double protection of print heads;
- ◆ Big anti-static pinch rollers, to meet many kinds of materials printing, and high precision stepping;
- ◆ Strong machine frame, can choose 2pcs/3pcs/4pcs print heads body.




High Speed feeding and taking up system



Auto motor cleaning system




Adjustable carriage height



High precision print table



Stable Hoson board



HIWIN lead rail

Model No.:		ALHC-1600ECO
Print head:		Epson i3200E1
Head qty	2pcs	4pcs (Body appearance same, but printing table is wider, body is much thicker)
Print Speed	3 pass :55sq/hr	3 pass :97sq/hr
	4 pass:40 sq.m/hr	4 pass: 80sq.m/hr
Print materials		PP, Vinyl, car body sticker
Ink		Eco-solvent ink
Transmission Interface		Gigabit network port transmission
Max Print width		1600mm
File format		PDF, JPEG, TIFF
Print height		0-12mm
Rip software		Printfactory, photoprint
Computer system		WINXP, WIN7, WIN10
Ink Supply system		Secondarily positive pressure continuous ink supply
Machine Weight		N.W: 295KG, G.W:330KG
Power		220V/110V, Single phase, 50/60Hz
Printer Power		1300W
Dryer Power		3800W
Printer Size	2870*760*1320mm	4 heads printer body : 3180*760*1350mm
Package size	2920*800*830mm	3250*950*670mm



*När relationer väger
lika tungt som materialet!*



+46 521-57 56 10



william@printgrossisten.se



printgrossisten.se